

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	994	impact near modif\$6 same (polymethyl near methacrylate or pmma or poly adj methylmethacrylate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:42
L2	41	impact near modif\$6 same (polymethyl near methacrylate or pmma or poly adj methylmethacrylate) same filler	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:56
L3	3	impact near modif\$6 same (polymethyl near methacrylate or pmma or poly adj methylmethacrylate) same filler same mold\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:43
L4	740	impact near modif\$6 same (polymethyl near methacrylate or pmma or poly adj methylmethacrylate) and filler	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 09:56
L5	39	impact near modif\$6 same (polymethyl near methacrylate or pmma or poly adj methylmethacrylate) same mold\$4 and filler	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 10:11
L6	40	impact with (polymethyl near methacrylate or pmma or poly adj methylmethacrylate) same mold\$4 and filler and impact near modif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 10:53
L7	79	(polymethyl near methacrylate or pmma or poly adj methylmethacrylate) with mold\$4 and filler and impact near modif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 10:29

EAST Search History

L8	19	(polymethyl near methacrylate or pmma or poly adj methylmethacrylate) with mold\$4 and filler with amount and impact near modif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 10:29
L9	0	((polymethyl near methacrylate or pmma or poly adj methylmethacrylate) with mold\$4).ab. and filler with amount and impact near modif\$6 same (core with shell or multilayer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 10:29
L10	0	((polymethyl near methacrylate or pmma or poly adj methylmethacrylate) with mold\$4).ab. and filler with amount and impact near modif\$6 same (core with shell or multilayer\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 10:30
L11	6	((polymethyl near methacrylate or pmma or poly adj methylmethacrylate) with mold\$4) and filler same amount and impact near modif\$6 same (core with shell or multilayer\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 10:31
L12	17	((polymethyl near methacrylate or pmma or poly adj methylmethacrylate) same mold\$4) and filler same amount and impact near modif\$6 same (core with shell or multilayer\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 10:31
L13	3	((polymethyl near methacrylate or pmma or poly adj methylmethacrylate) same \$6plastic same article) and filler same amount and impact near modif\$6 same (core with shell or multilayer\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 10:33
L14	27	((polymethyl near methacrylate or pmma or poly adj methylmethacrylate or methacrylate) same \$6plastic same (article or mold\$4)) and filler same amount and impact near modif\$6 same (core with shell or multilayer\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 10:33

EAST Search History

L15	313	((polymethyl near methacrylate or pmma or poly adj methylmethacrylate or methacrylate) same \$6plastic same (article or mold\$4)) and filler and impact near modif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 10:33
L16	22	((((polymethyl near methacrylate or pmma or poly adj methylmethacrylate or methacrylate) same \$6plastic same (article or mold\$4))).ab. and filler and impact near modif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 10:34
L17	72	((((polymethyl near methacrylate or pmma or poly adj methylmethacrylate or methacrylate) same \$6plastic same (article or mold\$4))).clm. and filler and impact near modif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 10:34
L18	2	((((polymethyl near methacrylate or pmma or poly adj methylmethacrylate or methacrylate) same \$6plastic same (article or mold\$4))).ti. and filler and impact near modif\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:10
L19	88	I16 or I17 or I18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 10:34
L20	4685	impact with (modif\$6 or resist\$5) same (\$4methyl near methacrylate or methylmethacrylate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:05
L21	4693	impact with (modif\$7 or resist\$5) same (\$4methyl near methacrylate or methylmethacrylate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:00

EAST Search History

L22	2360	I21 and filler	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 10:59
L23	464	I21 and filler and impact with modif\$6 same (core with shell or multilayer\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:00
L24	419	I23 and mold\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:00
L25	14	impact with (modif\$7 or resist\$5) same (\$4methyl near methacrylate or methylemethacrylate).ab. and I24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:01
L26	154	toughen\$4 with (\$4methyl near methacrylate or methylemethacrylate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:05
L27	1	toughen\$4 with (\$4methyl near methacrylate or methylemethacrylate) same filler	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:05
L28	0	toughen\$4 with (\$4methyl near methacrylate or methylemethacrylate) same filler same mold\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:06

EAST Search History

L29	18	toughen\$4 with (\$4methyl near methacrylate or methylmethacrylate) and filler and mold\$4 and (core with shell or multilayer\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:09
L30	40	toughen\$4 with (\$4methyl near methacrylate or methylmethacrylate) and mold\$4 and (core with shell or multilayer\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:11
L31	582	((((polymethyl near methacrylate or pmma or poly adj methylmethacrylate or methacrylate) same \$6plastic same (article or mold\$4))) and (impact near modif\$6 or toughen\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:10
L32	132	((((polymethyl near methacrylate or pmma or poly adj methylmethacrylate or methacrylate) same \$6plastic same (article or mold\$4))) and (impact near modif\$6 or toughen\$6) same (core with shell or multilayer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:16
L33	422	((((polymethyl near methacrylate or pmma or poly adj methylmethacrylate or methacrylate) same (article or mold\$4))) and (impact near modif\$6 or toughen\$6) same (core with shell or multilayer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:29
L34	129	I32 not I30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:17
L35	106	I34 not I17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:27

EAST Search History

L36	1507	(impact with modif\$6 or toughen\$4) same (methyl near methacrylate or methylmethacrylate) same (butyl near acrylate or butadiene) and allyl near methacrylate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:28
L37	275	(impact with modif\$6 or toughen\$4) same (methyl near methacrylate or methylmethacrylate) same (butyl near acrylate or butadiene) and allyl near methacrylate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:29
L38	240	((impact with modif\$6 or toughen\$4) same (methyl near methacrylate or methylmethacrylate) same (butyl near acrylate or butadiene) and allyl near methacrylate) and mold\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:34
L39	131	(impact with modif\$6 or toughen\$4) same (methyl near methacrylate or methylmethacrylate) same (butyl near acrylate or butadiene) and allyl near methacrylate and (((polymethyl near methacrylate or pmma or poly adj methylmethacrylate or methacrylate) same (article or mold\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:30
L40	134	(impact with modif\$6 or toughen\$4) same (methyl near methacrylate or methylmethacrylate) same (butyl near acrylate or butadiene) and allyl near methacrylate and (((\$4ymethyl near methacrylate or pmma or methylmethacrylate or methacrylate) same (article or mold\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:34
L41	24	(impact with modif\$6 or toughen\$4) same (methyl near methacrylate or methylmethacrylate) same (butyl near acrylate or butadiene) same allyl near methacrylate and (((\$4ymethyl near methacrylate or pmma or methylmethacrylate or methacrylate) same (article or mold\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:30
L42	110	l40 not l41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:32

EAST Search History

L43	24	(impact with modif\$6 or toughen\$4) same (methyl near methacrylate or methylmethacrylate) same (butyl near acrylate or butadiene) same allyl near methacrylate and ((((\$4methyl near methacrylate or pmma or methylmethacrylate or methacrylate) same (article or mold\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:34
L44	51	((impact with modif\$6 or toughen\$4) same (methyl near methacrylate or methylmethacrylate) same (butyl near acrylate or butadiene) same allyl near methacrylate) and mold\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:35
L45	28	l44 not l43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/20 11:35